

What is claimed:

1. Isolated nucleic acid having at least 80% nucleic acid sequence identity to:
 5 a nucleotide sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), or Figure 42 (SEQ ID NO:42).
2. Isolated nucleic acid having at least 80% nucleic acid sequence identity to a nucleotide sequence selected from the group consisting of the nucleotide sequence shown in Figure 1 (SEQ ID NO:1),
 15 Figure 3 (SEQ ID NO:3), Figure 5 (SEQ ID NO:5), Figure 7 (SEQ ID NO:7), Figure 9 (SEQ ID NO:9), Figure 11 (SEQ ID NO:11), Figure 13 (SEQ ID NO:13), Figure 15 (SEQ ID NO:15), Figure 17 (SEQ ID NO:17), Figure 19 (SEQ ID NO:19), Figure 21A-B (SEQ ID NO:21), Figure 23 (SEQ ID NO:23), Figure 25 (SEQ ID NO:25), Figure 27 (SEQ ID NO:27), Figure 29 (SEQ ID NO:29), Figure 31 (SEQ ID NO:31), Figure 33 (SEQ ID NO:33), Figure 35 (SEQ ID NO:35), Figure 37 (SEQ ID NO:37), Figure 39 (SEQ ID NO:39) and Figure 41 (SEQ ID NO:41).
3. Isolated nucleic acid having at least 80% nucleic acid sequence identity to a nucleotide sequence selected from the group consisting of the full-length coding sequence of the nucleotide sequence shown in Figure 1 (SEQ ID NO:1), Figure 3 (SEQ ID NO:3), Figure 5 (SEQ ID NO:5), Figure 7 (SEQ ID NO:7), Figure 9 (SEQ ID NO:9), Figure 11 (SEQ ID NO:11), Figure 13 (SEQ ID NO:13), Figure 15 (SEQ ID NO:15), Figure 17 (SEQ ID NO:17), Figure 19 (SEQ ID NO:19), Figure 21A-B (SEQ ID NO:21), Figure 23 (SEQ ID NO:23), Figure 25 (SEQ ID NO:25), Figure 27 (SEQ ID NO:27), Figure 29 (SEQ ID NO:29), Figure 31 (SEQ ID NO:31), Figure 33 (SEQ ID NO:33), Figure 35 (SEQ ID NO:35), Figure 37 (SEQ ID NO:37), Figure 39 (SEQ ID NO:39) and Figure 41 (SEQ ID NO:41).
 30
5. A vector comprising the nucleic acid of Claim 1.
6. The vector of Claim 5 operably linked to control sequences recognized by a host cell transformed with the vector.
 35
7. A host cell comprising the vector of Claim 5.
8. The host cell of Claim 7, wherein said cell is a CHO cell, an *E.coli* cell or a yeast cell.

9. A process for producing a PRO polypeptide comprising culturing the host cell of Claim 7 under conditions suitable for expression of said PRO polypeptide and recovering said PRO polypeptide from the cell culture.
- 5 10. An isolated polypeptide having at least 80% amino acid sequence identity to:
an amino acid sequence of the polypeptide shown in Figure 2 (SEQ ID NO:2), Figure 4 (SEQ ID NO:4), Figure 6 (SEQ ID NO:6), Figure 8 (SEQ ID NO:8), Figure 10 (SEQ ID NO:10), Figure 12 (SEQ ID NO:12), Figure 14 (SEQ ID NO:14), Figure 16 (SEQ ID NO:16), Figure 18 (SEQ ID NO:18), Figure 20 (SEQ ID NO:20), Figure 22 (SEQ ID NO:22), Figure 24 (SEQ ID NO:24), Figure 26 (SEQ ID NO:26), Figure 28 (SEQ ID NO:28), Figure 30 (SEQ ID NO:30), Figure 32 (SEQ ID NO:32), Figure 34 (SEQ ID NO:34), Figure 36 (SEQ ID NO:36), Figure 38 (SEQ ID NO:38), Figure 40 (SEQ ID NO:40), or Figure 42 (SEQ ID NO:42).
- 10 11. A chimeric molecule comprising a polypeptide according to Claim 10 fused to a
15 heterologous amino acid sequence.
12. The chimeric molecule of Claim 11, wherein said heterologous amino acid sequence is an epitope tag sequence or an Fc region of an immunoglobulin.
- 20 13. An antibody which specifically binds to a polypeptide according to Claim 10.
14. The antibody of Claim 13, wherein said antibody is a monoclonal antibody, a humanized antibody or a single-chain antibody.
- 25 15. A composition of matter comprising (a) a polypeptide of Claim 10, (b) an agonist of said polypeptide, (c) an antagonist of said polypeptide, or (d) an antibody that binds to said polypeptide, in combination with a carrier.
- 30 16. The composition of matter of Claim 15, wherein said carrier is a pharmaceutically acceptable carrier.
17. The composition of matter of Claim 16 comprising a therapeutically effective amount of (a), (b), (c) or (d).
- 35 18. An article of manufacture, comprising:
a container;
a label on said container; and
a composition of matter comprising (a) a polypeptide of Claim 10, (b) an agonist of said polypeptide, (c) an antagonist of said polypeptide, or (d) an antibody that binds to said polypeptide,

contained within said container, wherein label on said container indicates that said composition of matter can be used for treating psoriasis.

19. A method of treating psoriasis in a mammal in need thereof comprising administering to
5 said mammal a therapeutically effective amount of (a) a polypeptide of Claim 10, (b) an antagonist of said polypeptide, or (c) an antibody that binds to said polypeptide.

20. A method for determining the presence of a PRO polypeptide in a sample suspected of
containing said polypeptide, said method comprising exposing said sample to an anti-PRO19597, anti-
10 PRO83469, anti-PRO1189, anti-PRO83470, anti-PRO28700, anti-PRO1246, anti-PRO83471, anti-
PRO6244, anti-PRO83472, anti-PRO19600, anti-PRO4977, anti-PRO83473, anti-PRO83474, anti-PRO617,
anti-PRO71057, anti-PRO83475, anti-PRO1065, anti-PRO83476, anti-PRO200, anti-PRO1361 or anti-
PRO83477 antibody and determining binding of said antibody to a component of said sample.

21. A method of diagnosing psoriasis in a mammal, said method comprising detecting the
level of expression of a gene encoding PRO19597, PRO83469, PRO1189, PRO83470, PRO28700,
PRO1246, PRO83471, PRO6244, PRO83472, PRO19600, PRO4977, PRO83473, PRO83474, PRO617,
PRO71057, PRO83475, PRO1065, PRO83476, PRO200, PRO1361 or PRO83477 polypeptide (a) in a test
15 sample of tissue cells obtained from the mammal, and (b) in a control sample of known normal tissue cells
20 of the same cell type, wherein a higher or lower level of expression of said gene in the test sample as
compared to the control sample is indicative of the presence of psoriasis in the mammal from which the test
tissue cells were obtained.

22. A method of diagnosing an psoriasis in a mammal, said method comprising (a) contacting
25 an anti-PRO19597, anti-PRO83469, anti-PRO1189, anti-PRO83470, anti-PRO28700, anti-PRO1246, anti-
PRO83471, anti-PRO6244, anti-PRO83472, anti-PRO19600, anti-PRO4977, anti-PRO83473, anti-
PRO83474, anti-PRO617, anti-PRO71057, anti-PRO83475, anti-PRO1065, anti-PRO83476, anti-PRO200,
anti-PRO1361 or anti-PRO83477 antibody with a test sample of tissue cells obtained from said mammal and
(b) detecting the formation of a complex between the antibody and the polypeptide in the test sample,
30 wherein formation of said complex is indicative of the presence of psoriasis in the mammal from which the
test tissue cells were obtained.

23. A method of identifying a compound that inhibits the activity of PRO19597, PRO83469,
PRO1189, PRO83470, PRO28700, PRO1246, PRO83471, PRO6244, PRO83472, PRO19600, PRO4977,
35 PRO83473, PRO83474, PRO617, PRO71057, PRO83475, PRO1065, PRO83476, PRO200, PRO1361 or
PRO83477 polypeptide, said method comprising contacting cells which normally respond to said
polypeptide with (a) said polypeptide and (b) a candidate compound, and determining the lack
responsiveness by said cell to (a).

24. A method of identifying a compound that inhibits the expression of a gene encoding a

PRO19597, PRO83469, PRO1189, PRO83470, PRO28700, PRO1246, PRO83471, PRO6244, PRO83472, PRO19600, PRO4977, PRO83473, PRO83474, PRO617, PRO71057, PRO83475, PRO1065, PRO83476, PRO200, PRO1361 or PRO83477 polypeptide, said method comprising contacting cells which normally express said polypeptide with a candidate compound, and determining the lack of expression said gene.

5

25. The method of Claim 24, wherein said candidate compound is an antisense nucleic acid.

26. A method of identifying a compound that mimics the activity of a PRO19597, PRO83469, PRO1189, PRO83470, PRO28700, PRO1246, PRO83471, PRO6244, PRO83472, PRO19600, PRO4977, PRO83473, PRO83474, PRO617, PRO71057, PRO83475, PRO1065, PRO83476, PRO200, PRO1361 or PRO83477 polypeptide, said method comprising contacting cells which normally respond to said polypeptide with a candidate compound, and determining the responsiveness by said cell to said candidate compound.

10
15